EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"7231425".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 09:39
L2	2	"7385987".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 09:41
L3	2	"7567572".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 09:43
L4	2	"7417999".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 09:44
L5	0	"7599381".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 09:57
L6	5	"759938".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 09:57
L7	0	"7599381".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 09:59

L8	2	"7522609".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:00
L9	2	"6147996".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:09
L10	2	"6424649".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:11
L11	2	"6977930".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:29
L12	2	"6778546".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:30
L13	2	"6813243".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:31
L14	3	"6831923".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:32
L15	2	"7286525".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:32

L16	2	"6980552".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:33
L17	4	"7304999".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:34
L18	2	"7554907".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:35
L19	1	WO adj "2005112347"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:52
L20	1	2005-784469.NRAN.	DERWENT	OR	ON	2009/09/29 10:52
L21	1	EP adj "1757020"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:56
L22	1	2005-784469.NRAN.	DERWENT	OR	ON	2009/09/29 10:56
L23	1	EP with "1757020"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:57
L24	1	CN with "101228737"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:57
L25	1	2005-784469.NRAN.	DERWENT	OR	ON	2009/09/29 10:57

L26	0	EP with "2005734258"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 10:59
L27	2	"7020143".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L28	2	"6940864".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L29	2	"6147996".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L30	1037	(hierarch\$5 with queu\$4) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L31	7	((hierarch\$5 with queu\$4) and (propagat\$4 with (parameter or attribute))) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L32	1	(hierarch\$5 with queu\$4).ti. and (propagat\$4) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L33	16	(hierarch\$5 with queu\$4). ab. and (propagat\$4) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24

L34	О	((hierarch\$5 same queu\$4) same (propagat\$4) same (parametner or configur) same root) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L35	1	(hierarch\$5 same queu\$4 same propagat\$4 same (parameter or configur\$5) same root) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L36	6	(queu\$4 same propagat\$4 same (parameter or configur \$5) same root) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L37	12	(queu\$4 same (parameter or configur\$5) same root same leaf) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L38	79	(queu\$4 same (parameter or configur\$5) same layered) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L39	22	(queu\$4 same updat\$5 same root same leaf) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L40	O	(adminstrator with allocat\$5 with bandwidth with queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L41	7676	(adminstrator same allocat \$5 sameh bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24

L42	0	(adminstrator same allocat \$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L43	434	(user same allocat\$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L44	0	(administrator with allocat \$5 with bandwidth with queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L45	16	(administrator same allocat \$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L46	46	(user with allocat\$5 with bandwidth with queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L47	0	(MQC with language) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L48	0	(MQC same language) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L49	1	(MQC same CLI) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24

L50	6	(common with language with Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L51	2	(UML with language with Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L52	0	(behavioral with language with Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L53	1	(behavioral same language same Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L54	2	"7020143".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L55	0	"2005/0091642".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L56	2	"20050091642".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L57	2	"7020143".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24

L58	2	"6940864".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L59	2	"6147996".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L60	1037	(hierarch\$5 with queu\$4) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L61	7	((hierarch\$5 with queu\$4) and (propagat\$4 with (parameter or attribute))) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L62	1	(hierarch\$5 with queu\$4).ti. and (propagat\$4) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L63	16	(hierarch\$5 with queu\$4). ab. and (propagat\$4) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L64	0	((hierarch\$5 same queu\$4) same (propagat\$4) same (parametner or configur) same root) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L65	1	(hierarch\$5 same queu\$4 same propagat\$4 same (parameter or configur\$5) same root) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24

L66	6	(queu\$4 same propagat\$4 same (parameter or configur \$5) same root) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L67	12	(queu\$4 same (parameter or configur\$5) same root same leaf) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L68	79	(queu\$4 same (parameter or configur\$5) same layered) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L69	22	(queu\$4 same updat\$5 same root same leaf) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L70	0	(adminstrator with allocat\$5 with bandwidth with queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L71	7676	(adminstrator same allocat \$5 sameh bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L72	0	(adminstrator same allocat \$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L73	434	(user same allocat\$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24

L74	0	(administrator with allocat \$5 with bandwidth with queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L75	16	(administrator same allocat \$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L76	46	(user with allocat\$5 with bandwidth with queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L77	0	(MQC with language) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L78	0	(MQC same language) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L79	1	(MQC same CLI) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L80	6	(common with language with Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L81	2	(UML with language with Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24

L82	0	(behavioral with language with Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24
L83	1	(behavioral same language same Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 12:24

9/29/2009 12:33:09 PM

 $\textbf{C:} \ \, \textbf{Documents} \ \, \textbf{Sahmed} \ \, \textbf{My Documents} \ \, \textbf{EAST} \setminus \ \, \textbf{Workspaces} \setminus \ \, \textbf{10840126-Sept-19-2008-Chu_Case.wsp}$